

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/572634	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:05
S2	1008	(navier-stokes) or (navier near stokes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:25
S3	484	S2 and (3d or 3-d or three-dimension \$2 or (three near dimension\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:26
S4	118	S2 and ((3d or 3-d or three-dimension \$2 or (three near dimension\$2)) same (distance or length))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:26
S5	22	S2 and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:29
S7	204	S2 and ((3d or 3-d or three-dimension \$2 or (three near dimension\$2)) same (surface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:49
S8	126	S2 and ((3d or 3-d or three-dimension \$2 or (three near dimension\$2)) with (surface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/12 15:49

S9	6015	determin\$3 with (3d or 3-d or three- dimensional or (three dimensional)) with surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:55
S10	1010	(navier-stokes) or (navier near stokes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:55
S11	6	S9 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:55
S12	437423	fluid with surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:58
S13	437423	S12 same surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:58
S14	707	S13 and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:58
S15	6138	S12 same surface same matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:59
S16	61	S15 and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 12:59

S17	152	coordinate same matrix same (three-dimensional or (three-dimensional) or 3d or 3-d) same cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:04
S18	6	S17 and (fluid with surface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:04
S19	88	cell with neighborhood same matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:13
S20	6	S19 and "345".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:13
S21	2	"6718054".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:34
S22	1	S11 and 345/473. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:38
S23	1	S18 and 702/18. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:39
S24	16	(Tubaro-Stefano). in. or (Sarti-Augusto).in. or (Piccarreta-Luca). in. or (Marcon-Marco).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/18 13:42

7/16/2009 4:42:24 PM

C:\Documents and Settings\phoang1\My Documents\EAST\Workspaces\10572634 -

METHOD FOR DETERMINING THE THREE-DIMENSIONAL SURFACE OF AN OBJECT.wsp